

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	56	Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/15 16:45
S15 3	30	S145 AND S150	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:25
S15 4	18	S149 AND S150	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:23
S15 2	5	S145 AND S149	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:23
S15 1	5	S145 AND S149 AND S150	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:23
S15 0	20877	network NEAR2 resource	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:22
S14 9	77	driver NEAR2 administrator	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:22
S14 5	30	network NEAR2 resource NEAR2 driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:20
S14 4	40	(user NEAR2 access NEAR2 level)SAME (network NEAR3 resource)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:20

S14 3	20	(user NEAR2 access NEAR2 level)WITH (network NEAR3 resource)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:13
S14 2	88	(user NEAR2 access NEAR2 level)WITH resource	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:08
S14 1	1857	user NEAR2 access NEAR2 level	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:07
S14 0	5	((Authorization AND authentication) NEAR2 server) AND (resource NEAR2 record)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/02/10 19:07
S13 7	5	(network NEAR2 driver NEAR2 application) SAME firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:08
S13 2	119	network NEAR2 driver NEAR2 application	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:08
S13 6	8	S132 SAME (access\$3 WITH control\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:06
S13 3	75	S132 AND (access\$3 WITH control\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:06
S13 5	11	S133 AND fire\$1wall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:04
S13 4	2	S133 AND (authorization NEAR2 server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 18:04

S13 1	6	S130 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:40
S13 0	48	(driver ADJ database) SAME driver SAME application	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:39
S12 9	11	S128 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:39
S12 8	30	S127 SAME network SAME server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:34
S12 2	11	S121 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:34
S12 7	989	providing WITH driver WITH application	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:33
S12 6	8	S125 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:09
S12 5	17	S124 AND S96	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:05
S12 4	177	S123 SAME access SAME control	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:05
S12 3	5879	network NEAR printer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 17:04

S12 1	23	access\$3 resource (protected OR firewall)driver application	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 16:50
S11 2	84	S111 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 16:50
S12 0	15	S118 AND S119	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 16:49
S11 9	6339	resource access control network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:56
S11 8	2674	IPP OR (Internet ADJ print ADJ protocol)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:56
S11 7	4	S111 AND S116	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:55
S11 6	2226	(709/229).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 15:53
S11 4	525	driver NEAR (identifier OR ID)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:51
S11 3	2	S112 AND firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:51

S11 1	220	(sending OR providing OR transmit\$4) driver application resource (network OR device)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:51
S11 0	11	S109 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:43
S10 9	69	S108 AND firewall AND network AND proxy	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:37
S10 6	9	S105 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:37
S10 8	16271	printer WITH driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:36
S10 7	0	authomatic\$3 printer driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:36
S10 4	1304	provid\$3 printer driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:34
S95	3374	S91 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:28
S10 5	43	S104 AND firewall AND network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:27
S10 3	32	firewall printer driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:27

S10 2	22	firewall printer driver network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:24
S10 1	17	S98 AND ((driver NEAR database)OR((authorizatio n OR adminstration)NEAR2 server))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 15:16
S10 0	11	S98 AND ((authorization OR adminstration)NEAR2 server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:57
S99	5	S98 SAME ((authorization OR adminstration)NEAR2 server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:56
S98	341	resource WITH driver WITH network	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:55
S97	5	S92 AND S96	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:55
S96	8003	(709/229, 713/200,201, 202).CCLS.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:52
S78	8	S77 AND (709/229, 713/200,201,202).CCLS.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:52
S94	4	S93 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:49
S93	24	S91 AND S92	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:47



S92	172	driver ADJ database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:47
S91	5722	(send\$3 OR provid\$3)NEAR driver	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:47
S90	9	S89 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:47
S89	18	send\$3 NEAR2 driver NEAR3 resource	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:43
S88	48	S86 AND @ad<"20010301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:43
S9	15	S8 AND @ad<"20010301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:04
S87	5	S86 AND (network NEAR resource)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:01
S86	108	(send\$3 OR transmit\$4 OR transfer\$4)WITH S85	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:01
S85	1313	driver NEAR3 database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/28 14:00
S84	11	S83 and (AUTHORIZATION near2 SERVER)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:25

S83	432	S82 and @AD<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:24
S82	1707	FIREWALL PROXY SERVER	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:24
S81	32	S80 and @AD<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:24
S80	60	FIREWALL PROXY SERVER AUTHORIZATION	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:24
S79	25	S77 and @AD<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:14
S77	41	(client OR user) SAME (public OR Internet) SAME network SAME firewall SAME S76	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:10
S76	19467	(access NEAR3 level)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:04
S75	35	S74 AND firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 18:04
S74	237	Network WITH enabled WITH printer	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/27 17:25
S73	7	S67 AND S72	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:33



S72	153	S71.ti.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:33
S71	2322	(resource NEAR3 access NEAR2 control)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:33
S65	187	fire\$1wall SAME resource SAME proxy SAME server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:32
S70	23	S69 AND (fire\$1wall SAME proxy SAME server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:28
S69	303	S67 AND (resource WITH access WITH control)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:28
S67	4617	(709/229,713/200,201, 202).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 20:27
S68	25	S65 AND S67	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 20:10
S59	884	alias NEAR name	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/26 16:33
S55	108	(Network NEAR5 resource)SAME proxy SAME server SAME firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 17:49

S54	9	(Network NEAR5 resource) SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 17:49
S53	4	(Network NEAR resource) SAME proxy SAME server SAME firewall SAME enterprise	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 17:25
S51	5	S50 AND (resource WITH driver)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 17:18
S50	31	(US-20020078183-\$ or US-20020083340-\$ or US-20020103903-\$ or US-20020144016-\$ or US-20030014521-\$ or US-20030037126-\$ or US-20030051038-\$ or US-20010054070-\$ or US-20020040400-\$ or US-20010039587-\$).did. or (US-5580177-\$ or US-6161139-\$ or US-6182142-\$ or US-6219786-\$ or US-6317838-\$ or US-6324648-\$ or US-6377994-\$ or US-6453353-\$ or US-6728787-\$ or US-6754693-\$ or US-6763467-\$ or US-6757740-\$ or US-6742039-\$ or US-6687732-\$ or US-6662228-\$ or US-6604143-\$ or US-6584508-\$ or US-6513061-\$ or US-6345300-\$ or US-6233618-\$ or US-6138162-\$).did.	US-PGPUB ; USPAT	SAME	ON	2005/01/25 17:15
S49	12	S48 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 16:43
S48	44	resource NEAR3 (access OR control) SAME (FIREWALL same (PROXY near2 SERVER))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 16:43

S47	10	resource NEAR (access OR control) SAME (FIREWALL same (PROXY near2 SERVER))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 16:43
S46	52	S45 AND @ad<"20000301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 16:43
S45	92	S44 and (FIREWALL same (PROXY near2 SERVER))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 16:41
S44	2202	(709/229) .CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 14:59
S43	25	S42 and FIREWALL	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 14:59
S42	32	S40 AND (PROXY near SERVER)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 14:46
S41	8	S40 SAME PROXY near SERVER	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 14:45
S40	256	polling NEAR server	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/25 14:12
S38	4	S27 AND S37	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 12:13

S37	170	driver ADJ database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 12:09
S34	16	S33 AND @ad<"20010301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 12:08
S33	39	distribut\$3 NEAR3 driver NEAR4 application	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 12:08
S32	9	S31 AND @ad<"20010301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 12:08
S31	26	S29 AND S30	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 11:31
S30	18021	(709/203,217,219,220,223, 225,226,227,228,229) . CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:31
S5	18021	(709/203,217,219,220,223, 225,226,227,228,229) . CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 11:31
S29	80	S27 AND firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 11:30
S28	4	S27 SAME firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 11:30

S27	371	access NEAR3(secured OR restricted) NEAR2 (resource OR printer)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 11:22
S26	1586	network WITH resource WITH control WITH access	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 18:20
S25	23	(authoriz\$5 NEAR server) SAME control SAME access SAME resource	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 18:19
S24	13	(authoriz\$5 NEAR server) WITH control WITH access WITH resource	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 18:17
S23	15	S22 AND @ad<"20010301"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:27
S22	50	S21 NEAR2 (device OR resource OR printer OR IPP)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:27
S21	458	driver NEAR database	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:24
S20	6	((("6438586") or ("6360252") or ("5987611"))).PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 17:23
S16	18576	resource NEAR3 control\$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:14

S19	6	provid\$3 WITH driver WITH (client OR terminal OR user) AND S17	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:12
S18	5	(private AND public ) NEAR access and S17	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:10
S17	308	S14 and S16	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:07
S12	163	(private AND public AND authorized) NEAR access	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:07
S15	15	driver NEAR application AND S14	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 17:06
S14	2192	(709/229) .CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 16:54
S13	15	S5 AND S12	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 16:53
S11	11	S10 AND (driver NEAR4 (printer OR application OR module)) SAME (client OR terminal OR user)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 16:46
S7	200	S6 AND (driver NEAR4 (printer OR application OR module)) SAME (client OR terminal OR user)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 16:43



S10	290	receiv\$3 WITH request WITH (terminal OR client OR node OR device) WITH (network NEAR2 resource)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 16:41
S8	25	S5 AND S7	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 16:18
S6	6694	resource NEAR3 (allocation OR assign\$5 OR access) NEAR4 control\$4	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 15:51
S4	1	S3 AND (resource ADJ driver ADJ applications) AND (authorization ADJ server)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 15:47
S3	3	(resource ADJ (registry OR type OR records)) AND (network ADJ resource) AND (driver ADJ database)AND (Network NEAR resource NEAR((access NEAR system) OR (communication NEAR system)))	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/13 15:11